

ICD-10 Preparation

2014 Weblab Series

Clinicians / April 2014

Physician's Computer Company

Deadline Delayed

- Congress voted to delay ICD-10 implementation
 - “The Secretary of Health and Human Services may not, *prior to October 1, 2015*, adopt ICD–10 code sets as the standard for code sets”

Supports

- Quality of Care
- Billed services
 - Drives revenue – Medical Necessity

Documentation

Old adage still stands:

“If it wasn't documented, it wasn't done”

Differences

- Increased specificity in ICD-10
 - Laterality
 - R=1, L=2, 3=Bilat (absence of bilateral code requires both 1&2)
 - Dominant vs. non-dominant
 - Body site (Bone vs. Joint, quadrants)
 - Type (breech vs. transverse lie presentation)
 - Severity (mild, mod, sev)
 - Intent (self-harm, assault, error)
 - Source (identify perpetrator)

Body Site - Finger

- fibula
- - distal end —see Dislocation, ankle
- - proximal end —see Dislocation, knee
- finger S63.25-
- - index S63.25-
- - interphalangeal S63.27-
- - - distal S63.29-
- - - - index S63.29-
- - - - little S63.29-
- - - - middle S63.29-
- - - - ring S63.29-
- - - index S63.27-
- - - little S63.27-
- - - middle S63.27-
- - - proximal S63.28-
- - - - index S63.28-
- - - - little S63.28-
- - - - middle S63.28-
- - - - ring S63.28-
- - - ring S63.27-
- - little S63.25-
- - metacarpophalangeal S63.26-
- - - index S63.26-
- - - little S63.26-
- - - middle S63.26-
- - - ring S63.26-
- - middle S63.25-
- - recurrent —see Dislocation, recurrent, finger
- - ring S63.25-
- - thumb —see Dislocation, thumb
- foot S93.30-

Paper Notes

- Prior Visits
 - Flow sheets
- Legibility

Translate Viral Syndrome

- Viral Syndrome in ICD-9: 079.99 Unspecified viral infection
- Viral Syndrome in ICD-10: Index

----- **Virulent bubo A57**

Virus, viral —see also condition

- as cause of disease classified elsewhere B97.89

- cytomegalovirus B25.9

- human immunodeficiency (HIV) —see Human, immunodeficiency virus (HIV) disease

- infection —see Infection, virus

- specified NEC B34.8

- swine influenza (viruses that normally cause infections in pigs) (see also Influenza, due to, identified novel influenza A virus) J09.X2

- West Nile (fever) A92.30

- - with

- - - complications NEC A92.39

- - - cranial nerve disorders A92.32

- - - encephalitis A92.31

- - - encephalomyelitis A92.31

- - - neurologic manifestation NEC A92.32

- - - optic neuritis A92.32

- - - polyradiculitis A92.32

Viscera, visceral —see condition

Viral Syndrome ICD-10

- Translator says:
 - B97.89 Other viral agents as the cause of diseases classified elsewhere

- Tabular shows:
 - Agreement: B97.89 Other viral agents as the cause of diseases classified elsewhere

Translate Cough

- Cough in ICD-9: 786.2
- Cough in ICD-10: Index

Cotard's syndrome F22

Cot death R99

Cotia virus B08.8

Cotton wool spots (retinal) H35.81

Cotungo's disease —see Sciatica

Cough (affected) (chronic) (epidemic) (nervous) R05

- with hemorrhage —see Hemoptysis

- bronchial R05

- - with gripe or influenza —see Influenza, with, respiratory manifestations NEC

- functional F45.8

- hysterical F45.8

- laryngeal, spasmodic R05

- psychogenic F45.8

- smokers' J41.0

- tea taster's B49

Counseling (for) Z71.9

- abuse NEC

- - perpetrator Z69.82

- - victim Z69.81

- alcohol abuser Z71.41

- - family Z71.42

Cough (cont'd)

- Cough in ICD-10 : Tabular

Pulmonary hemorrhage NOS

R04.9 Hemorrhage from respiratory passages, unspecified

R05 Cough

Excludes1: cough with hemorrhage (R04.2)
smoker's cough (J41.0)

R06 Abnormalities of breathing

Excludes1: acute respiratory distress syndrome (J80)
respiratory arrest (R09.2)

Translate Cough

- Cough in ICD-9: 786.2
- Cough in ICD-10: Index

Cotard's syndrome F22

Cot death R99

Cotia virus B08.8

Cotton wool spots (retinal) H35.81

Cotungo's disease —see Sciatica

Cough (affected) (chronic) (epidemic) (nervous) R05

- with hemorrhage —see Hemoptysis

- bronchial R05

- - with gripe or influenza —see Influenza, with, respiratory manifestations NEC

- functional F45.8

- hysterical F45.8

- laryngeal, spasmodic R05

- psychogenic F45.8

- smokers' J41.0

- tea taster's B49

Counseling (for) Z71.9

- abuse NEC

- - perpetrator Z69.82

- - victim Z69.81

- alcohol abuser Z71.41

- - family Z71.42

Cough (cont'd)

- Cough in ICD-10 : Tabular

Pulmonary hemorrhage NOS

R04.9 Hemorrhage from respiratory passages, unspecified

R05 Cough

Excludes1: cough with hemorrhage (R04.2)
smoker's cough (J41.0)

R06 Abnormalities of breathing

Excludes1: acute respiratory distress syndrome (J80)
respiratory arrest (R09.2)

New Partner Features

- V6.21 will be deployed everywhere by 4/17/14 (sooner if you use EHR)
- Includes :
 - ICD-10 Diagnosis table populated
 - ICD-10 Snapcodes table populated
 - ICD-10 ccredit
 - Checkouticd10 (chuckicd10)

Resources

- Slides, forms and videos
 - <http://www.pedsource.com/ICD-10-resources>
- AAPC Translator:
 - <http://www.aapc.com/ICD-10/codes/>
- support@pcc.com

Many Thanks for Attending!

support@pcc.com

www.pedsourc.com/ICD-10-resources