

# ICD-10 for Billers

2014 Weblab Series

November

Physician's Computer Company

# ICD-10 Roadmap

- ICD-10 to SNOMED smarts in place by April 2015 (v6.28)
- Some carriers actively looking for end-to-end testers
  - CMS hand picking clearinghouses only
  - United Health completed selection of a limited number of provider testers
  - Researching Mass Health now

# 2014 ICD-10 Guidelines

- 2014Guidelines.pdf on PedSource.com
- ICD-10-CM 2015 Addendum:

“There were no changes to the 2014 ICD-10-CM, therefore there are no 2015 ICD-10-CM Addenda.”

# UTI

- ICD-9
  - 599.0 Urinary tract infection, site not specified

# UTI – ICD-10 (Index)

- umbilicus L08.82
- ureter N28.86
- urethra —see Urethritis
- urinary (tract) N39.0
  - - bladder —see Cystitis
  - - complicating
    - - - pregnancy O23.4-
    - - - - specified type NEC O23.3-
  - - kidney —see Infection, kidney
  - - newborn P39.3
  - - puerperal (postpartum) O86.20
  - - tuberculous A18.13
  - - urethra —see Urethritis
- uterus, uterine —see Endometritis
- vaccination T88.0
- vaccinia not from vaccination B08.011
- vagina (acute) —see Vaginitis

# UTI – ICD-10 (Tabular)

tuberculosis (A18.13)

## **N39 Other disorders of urinary system**

**Excludes2:** hematuria NOS (R31.-)

recurrent or persistent hematuria (N02.-)

recurrent or persistent hematuria with specified morphological lesion (N02.81-)  
proteinuria NOS (R80.-)

## **N39.0 Urinary tract infection, site not specified**

**Use additional** code (B95-B97), to identify infectious agent.

**Excludes1:** candidiasis of urinary tract (B37.4-)

neonatal urinary tract infection (P39.3)

urinary tract infection of specified site, such as:

cystitis (N30.-)

urethritis (N34.-)

## **N39.3 Stress incontinence (female) (male)**

**Code also** any associated overactive bladder (N32.81)

**Excludes1:** mixed incontinence (N39.46)

# Vaccine Codes

- Last month's slides detailed Immunization ICD-10s

# CPT Updates eff 1/1/15

- Vaccines
- E&M
- Care Management



# Pending FDA Approval

- 90630 IIV4 Flu, Preservative free
- 90651 HPV 9 (nonvalent), 3 dose IM

# Vaccine Edits

- 90654 now Influenza *trivalent*
- 90721 & 90723 - "T" Capitalized in DTaP
- 90734 Meningococcal became quadrivalent (\*was\* tetravalent)

# Evaluation & Management

- Pediatric Critical Care
  - Transport
  - Inpatient Neonates, Critical and Intensive Care

# Care Management

- Chronic Care Management
  - 99490 Chronic Care Services
    - 20" minimum for the month
    - At least two chronic problems
      - Expected to last at least 1 yr
      - Significant risk

# Complex Care Management

- 99487 60" & 99489 +30"
  - Chronic Care requirements **plus** moderate to high MDM
  - 60 minutes of time
    - 30" increments thereafter
  - 99488 *deleted*

# New Partner Features

- PartnerTalk for commiserating between Non-electronic Partner users

# New EHR Features

- v6.25 released 11/9/14
- V6.26 expected 1/25/15

# Migration

- More disease-specific encounters give you more specific tools to customize



# Nov 2014 issue highlights

- Medical Decision Making
  - Root of carriers downcoding E&M services

# Questions?

*320* days until 10/1/15

Next Weblab: **12/9/14 1p EST**

AAPC CEU approved for live attendance only

# Resources

- Slides, reference materials, links, video recordings at:
  - <http://www.pedsource.com/ICD-10-resources>

Many Thanks for Attending!

[support@pcc.com](mailto:support@pcc.com)  
[www.pedsource.com](http://www.pedsource.com)