ICD-10 Preparation

2015 Weblab Series

February / Clinicians



ICD-10 Roadmap

- v6.27 Deploys March 22nd
 - SNOMED to ICD-10 mapping (Read-only)
 - ICD10 to ICD9 For claims
 - Immunization Forecasting in EHR
- V6.28 Deploys June 28th
 - Guidance for increasing specificity of SNOMED selections
 - 3rd Party Interfaces



Education Plan

- Monthly weblabs
- Workshops
 - Notes for top 5 conditions
 - These are ready for 10? Great!
 - These are not ready for 10:
 - EHR configuration
 - Partner configuration
- Users' Conference



ICD-9s and SNOMEDs We've Converted

Asthma

Influenza

Immunizations

Otitis Media

Asthma Notes

- Acute, chronic, mild, intermittent, persistent
- Allergic, extrinsic, intrinsic
- With/without
 - Acute exacerbation
 - Infection
 - COPD, chronic obstructive bronchitis
- Tobacco exposure



Asthma Severity



PMC full text: Clin Med Res. 2004 Aug; 2(3): 155-163.

Copyright/License ► Request permission to reuse

Table 3

Classification of Asthma Severity: Method of Australian National Asthma Campaign²⁶

Severity	Wheeze,	Nighttime	Symptoms	Admission	Previous	Short-	FEV_1	PEF
	tightness,	symptoms	on waking	or	life	acting		
	cough,			emergency	threatening	beta-agonist		
	dyspnea			visits	attack	use		
Severe	Every day	>1/week	>1/week	Usually	May have	>3 to 4/day	<60%	<80%
					a history			
Moderate	Most days	<1/week	<1/week	Usually	Usually	Most days	60%	80%
				not	not		to	to
							80%	90%
Mild	Occasional	Absent	Absent	Absent	Absent	<2/week	>80%	>90%

FEV1: forced expiratory volume in one second; PEF: peak expiratory flow



Immunizations Notes

- Reasons for NOT carrying out imms
 - Contraindication
 - Illness (Chronic or acute)
 - Immune compromised state
 - Allergy (Vaccine or component)
 - Patient decision
 - Belief or group pressure
 - Religious belief
 - Caregiver/guardian/parental refusal



Immunizations Notes

- Reasons for NOT carrying out imms
 - Patient has had the disease
- Underimmunized Status
 - Delinquent vs. lapsed schedule



Influenza Notes

- Identify which virus
- With/without pneumonia
 - Flu first, then which pneumonia
- Additional manifestations (J09.-)



OM Notes for ICD-10

- Laterality: Left, right, bilateral, unspecified
- Occurrence: Recurrent, acute, chronic
- Types: Allergic (acute, subacute), serous, nonsuppurative, mucoid, sanguinous, seromucinous, tubotympanic, atticoantral
- Rupture: Code for perforation (Without vs. With)
- Tobacco exposure



• ICD-9

- V20.0 Health supervision of foundling
- V20.1 Other healthy infant or child receiving care
- V20.2 Routine infant or child health check
- V20.31 Health supervision for newborn under 8 days old
- V20.32 Health supervision for newborn 8 to 28 days old
- V70.0 Routine general medical examination at a health care facility



Z76.2 Encounter for health supervision and care of other healthy infant and child

Encounter for medical or nursing care or supervision of healthy infant under circumstances such as:

- Adverse socioeconomic conditions at home
- Awaiting foster or adoptive placement
- Maternal illness
- Number of children at home preventing or interfering with normal care



Z00.1_ Encounter for *newborn*, infant and child health examinations...

- Z00.11 ... for child under 29 days old
- Z00.110... for newborn under 8 days old
- Z00.111... for newborn 8 to 28 days old



Z00.0_ Encounter for general adult medical examination...

- Z00.00 ... without abnormal findings
- Z00.01... with abnormal findings



- Z00.3 Encounter for examination for adolescent development state
- Z00.7 Encounter for examination for period of delayed growth in childhood (with and without abnormal findings)

Screenings in ICD-10

- Z01.0 Encounter for examination of eyes and vision (with and without abnormal findings)
- Z01.1_ Encounter for examination of ears and hearing (with and without abnormal findings)

Other Well Care in ICD-10

 Z02.5 Encounter for examination for participation in sport

Z02.82 Encounter for adoption services



Worried Well

 Z71.1 Person with feared health complaint in whom no diagnosis is made

Well Care Notes

- Age (automated?)
- Circumstances
- With/without abnormal findings
- Specific screening purposes



Feb AAP Coding NL Highlights

- New cardiology codes (ECMO/ECLS)
- Allergies in ICD-10
 - T78.- require 7th encounter digit
 - Allergen
 - Reaction type
- TCM and CCM Q&A



Suggestions? Questions?

229 days until Thursday, 10/1/15

Next Weblab:

Tues 3/10/15 11a EST

Billers



Reference & Resource

Slides, materials, links, video recordings: http://www.pedsource.com/ICD-10-resources

NIH Asthma Severity Scale

http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1069088/table/t3/



Many Thanks for Attending!

support@pcc.com

www.pedsource.com

