

PCC 8.4: New SNOMED-CTs on PCC EHR's Default Favorite List

As you type or search in any diagnosis field, PCC EHR automatically searches a list of your practice's Favorites. You can also right-click on any diagnosis field in PCC EHR to search your system's full SNOMED-CT library.

In preparation for the PCC 8.4 update, PCC's certified coder, Jan Blanchard, collected a paired-down list of new SNOMED-CT descriptions of interest to pediatricians. That list will automatically be added to your practice's default Favorites list for quick searching, unless your practice has specifically requested otherwise.

You can review this list of 800 new Favorite descriptions below, and make adjustments in the Diagnosis Configuration tool. You can attend [PCC's monthly coding weblabs](http://learn.pcc.com/help/pccs-pediatric-coding-web-labs/) to learn more about the new descriptions and other coding issues.

Abnormality of nail surface

Abnormal reaction to tuberculin test

Abrasion of cornea of right eye

Abrasion of left cornea

Abrasion of left knee

Active dental caries

Acute allergic serous otitis media of bilateral middle ears

Acute headache

Acute headache due to traumatic injury of head

Acute insomnia

Acute malnutrition in adolescence

Acute malnutrition in childhood

Acute malnutrition in infancy

Acute noninfective bronchitis

Acute pain in face

Acute recurrent allergic otitis media of bilateral middle ears

Acute severe exacerbation of asthma co-occurrent and due to allergic asthma

Acute severe refractory exacerbation of asthma

Acute sinusitis caused by fungus

Acute sinusitis caused by virus

Acute skin injury caused by corrosive substance

Adolescent onset conduct-dissocial disorder

Adolescent onset conduct-dissocial disorder with limited prosocial emotions

Adolescent onset conduct-dissocial disorder with normal prosocial emotions

Adverse reaction caused by decongestant

Allergic bronchospasm caused by dietary substance

Allergic contact blepharoconjunctivitis

Allergic contact dermatitis caused by agrochemical biocide

Allergic contact dermatitis caused by allergenic hapten derived from plant

Allergic contact dermatitis caused by clothing

Allergic contact dermatitis caused by cutting oil

Allergic contact dermatitis caused by dental material

Allergic contact dermatitis caused by disinfectant

Allergic contact dermatitis caused by food additive

Allergic contact dermatitis caused by food flavor

Allergic contact dermatitis caused by footwear

Allergic contact dermatitis caused by fragrance

Allergic contact dermatitis caused by hairdressing product

Allergic contact dermatitis caused by rubber compound

Allergic contact dermatitis caused by systemic medicament

Allergic contact sensitization of skin and skin-associated mucous membrane

Allergic disorder of respiratory tract

Allergic enteritis of small intestine

Allergy to food additive

Allergy to honey bee venom

Allergy to hymenoptera venom

Allergy to insect venom

Allergy to mussel

Allergy to yellow jacket venom

Amber discharge from wound

Anaphylactic shock

Anaphylaxis caused by insect venom

Anemia due to metabolic disorder

Anxiety disorder caused by dissociative drug

Anxiety disorder caused by drug

Anxiety disorder caused by ketamine

Anxiety disorder caused by methylenedioxymethamphetamine

Anxiety disorder caused by opioid

Anxiety disorder caused by stimulant

Anxiety disorder caused by synthetic cannabinoid

Anxiety disorder caused by synthetic cathinone

Arthropathy of left foot

Arthropathy of right foot

Astigmatism of left eye

Astigmatism of right eye

Behaviorally induced hypersomnia

Bilateral hand joint stiffness

Bilateral hand weakness

Bilateral hip clicking

Bilateral pain in upper arms

Bilateral popping of temporomandibular joints on opening

Bilateral shoulder joint stiffness

Bilateral temporomandibular joint pain

Bilateral webbed toes of both feet

Birth injury of long bone

Birth injury of thorax

Breast fed and bottle fed

Brown discharge from wound

Burning sensation of nose

Burning sensation of skin

Burn of mucous membrane of mouth

Burn of skin caused by exposure to artificial source of ultraviolet radiation

Burn of skin caused by ultraviolet radiation due to ultraviolet light therapy

Bursitis caused by mechanical pressure

Bursitis due to overuse

Bursitis of left foot

Bursitis of left knee

Bursitis of right foot

Bursitis of right knee

Cannabis dependence with current use

Caregiver-child relationship problem

Chemical burn of skin caused by corrosive substance

Childhood onset conduct-dissocial disorder

Childhood onset conduct-dissocial disorder with limited prosocial emotions

Childhood onset conduct-dissocial disorder with normal prosocial emotions

Chondromalacia of left hip

Chondromalacia of right hip

Chronic bronchiolitis

Chronic female pelvic pain syndrome

Chronic hiccups

Chronic infective otitis externa of bilateral external auditory canals

Chronic infective otitis externa of left external auditory canal

Chronic infective otitis externa of right external auditory canal

Chronic inflammation of mastoid cavity

Chronic insomnia

Chronic musculoskeletal pain

Chronic pain following trauma

Chronic pain of left foot

Chronic pain of left upper limb

Chronic pain of right foot

Chronic pain of right upper limb

Clicking of left hip

Clicking of right hip

Closed left finger dislocation

Closed right finger dislocation

Cold injury

Collecting duct carcinoma of kidney

Colorless discharge from wound

Common migraine with status migrainosus

Congenital conductive hearing loss

Contact dermatitis caused by protein

Contact dermatitis of external ear

Continuous dependence on chewing tobacco

Continuous dependence on cigarette smoking

Contusion of head

Contusion of left wrist

Cow milk intolerance

Dangerously low body weight co-occurrent and due to anorexia nervosa of binge-eating purging type

Dangerously low body weight co-occurrent and due to anorexia nervosa of restricting type

Decreased despair

Decreased social isolation

Decreased withdrawn behavior

Dehydration following exertion

Delayed menarche

Depressive symptoms co-occurrent and due to primary psychotic disorder

Developmental anomaly of tooth

Developmental language disorder and impairment of expressive language

Developmental language disorder and impairment of mainly pragmatic language

Developmental language disorder and impairment of receptive and expressive language

Developmental language disorder and language impairment

Developmental speech fluency disorder

Diagnosis not made

Difficulty swallowing pills

Disorder of bilateral middle ears

Disorder of left external ear

Disorder of left eye

Disorder of left middle ear

Disorder of right external ear

Disorder of right eye

Disorganized thinking

Does use pacifier

Eczema of lower leg

Eczema of male genitalia

Exacerbation of allergic asthma

Excessive crying of adolescent

Ex-smoker for less than 1 year

External hearing aid in situ

Family disruption due to child in welfare custody

Family disruption due to child returning to or placed in foster care

Family disruption due to child under care of non-parental relative

Family disruption due to parent-child estrangement

Feigning of symptoms

First degree burn of genitalia

First degree burn of hip

First degree burn of perineum

Food insecurity

Food protein-induced colitis in infant

Former smokeless tobacco user

Gaming disorder

Gaming disorder predominantly offline

Gaming disorder predominantly online

Gender dysphoria in adolescence and adulthood

Gender dysphoria in childhood

Generalized rash

Glued skin wound

Granulation of wound bed

Green discharge from wound

Harmful pattern of use of nicotine

Has current Last Will and Testament

Has same sex partner

Has supply of rescue medication

Helicobacter pylori stool test negative

Helicobacter pylori stool test positive

Hematoma of eyelid

Hepatitis B core antibody negative

Hepatitis B core antibody positive

High risk sexual behavior of adolescence

Hordeolum externum of left eyelid

Hordeolum externum of right eyelid

Illness anxiety disorder

Immunity to hepatitis A by positive serology

Immunity to hepatitis B by positive serology

Immunity to Lyme disease by positive serology

Immunity to measles and mumps and rubella by positive serology

Immunity to measles by positive serology

Immunity to mumps by positive serology

Immunity to polio by positive serology

Immunity to rubella by positive serology

Immunity to tetanus by positive serology

Immunity to varicella by positive serology

Immunization series complete

Improved mood

Improved self image

Increased sociability

Infantile apnea

Infection of lip

Injury due to and following therapeutic injection

Injury due to procedure

Injury of Achilles tendon

Injury of left ankle

Injury of right ankle

Injury of toenail

Insomnia co-occurrent and due to medical condition

Instability of joint of left ankle

Instability of joint of right ankle

Instability of left sacroiliac joint

Instability of right sacroiliac joint

Intermittent locking of temporomandibular joint

Internal impingement of bilateral shoulders

Interpreter booked

Intoxication caused by dissociative drug

Intoxication caused by ketamine

Intrauterine contraceptive device in situ

Irritant contact dermatitis caused by body fluid

Irritant contact dermatitis caused by cosmetic substance

Irritant contact dermatitis caused by dietary substance

Irritant contact dermatitis caused by emollient substance

Irritant contact dermatitis caused by friction

Irritant contact dermatitis caused by sweat

Laceration of abdomen with foreign body

Laceration of abdomen without foreign body

Laceration of ankle with foreign body

Laceration of ankle without foreign body

Laceration of finger with foreign body

Laceration of finger without foreign body

Laceration of foot with foreign body

Laceration of foot without foreign body

Laceration of forearm with foreign body

Laceration of forearm without foreign body

Laceration of hand with foreign body

Laceration of hand without foreign body

Laceration of hip with foreign body

Laceration of hip without foreign body

Laceration of left forearm

Laceration of lower back with foreign body

Laceration of lower back without foreign body

Laceration of lower leg with foreign body

Laceration of lower leg without foreign body

Laceration of pelvis with foreign body

Laceration of pelvis without foreign body

Laceration of right forearm

Laceration of shoulder region with foreign body

Laceration of shoulder without foreign body

Laceration of stomach without perforation

Laceration of thigh with foreign body

Laceration of thigh without foreign body

Laceration of thorax with foreign body

Laceration of thorax without foreign body

Laceration of toe with foreign body

Laceration of toe without foreign body

Laceration of triceps brachii

Laceration of upper arm with foreign body

Laceration of upper arm without foreign body

Laceration of wrist with foreign body

Laceration of wrist without foreign body

Lack of opportunity for privacy

Lack of psychological resilience

Left ingrown toenail with infection

Left without being seen

Lesion of bilateral external ear canals

Lesion of genitalia

Lesion of right eyelid

Lesion of right upper arm bone

Lesion of skin of breast

Life threatening acute exacerbation of asthma

Localized eruption of skin

Localized infection of subcutaneous tissue

Long term custodial care facility patient

Low back pain co-occurrent and due to bilateral sciatica

Low-level literacy

Lump in central portion of left breast

Lump in central portion of right breast

Lump in lower inner quadrant of left breast

Lump in lower inner quadrant of right breast

Lump in lower outer quadrant of left breast

Lump in lower outer quadrant of right breast

Lump in upper inner quadrant of left breast

Lump in upper inner quadrant of right breast

Lump in upper outer quadrant of left breast

Lump in upper outer quadrant of right breast

Lump of axillary tail of left breast

Lump of axillary tail of right breast

Manic symptoms co-occurrent and due to primary psychotic disorder

Marijuana user

Mass of abdominal wall

Mass of soft tissue of left lower limb

Mass of soft tissue of right lower limb

Maternally inherited cardiomyopathy and hearing loss syndrome

Maternal tobacco use in pregnancy

Medication active ingredient availability increased due to interaction

Medication dose too high based on hepatic function

Medication dose too high based on pharmacogenetic finding

Medication dose too high based on renal function

Medication dose too low based on pharmacogenetic finding

Medication labeled inappropriately

Medication non-adherence due to hearing impairment

Medication non-compliance due to cognitive impairment

Medication non-compliance due to excessive pill burden

Medication non-compliance due to visual impairment

Medication not covered by insurance

Metabolic acidemia in newborn

Metabolic acidosis with diabetes mellitus

Methamphetamine intoxication

Methicillin susceptible staphylococcus aureus carrier

Midline cleft of lower lip

Mild acquired hearing loss

Mild major depressive disorder co-occurrent with anxiety single episode

Mixed neonatal apnea

Moderate acquired hearing loss

Moderate acute exacerbation of asthma

Moderate major depressive disorder co-occurrent with anxiety single episode

Mood disorder caused by dissociative drug

Mood disorder caused by ketamine

Mood disorder caused by methylenedioxymethamphetamine

Mood disorder caused by stimulant

Mood disorder caused by synthetic cathinone

Mood disorder with depressive symptoms caused by alcohol

Mood disorder with depressive symptoms caused by anxiolytic

Mood disorder with depressive symptoms caused by cocaine

Mood disorder with depressive symptoms caused by dissociative drug

Mood disorder with depressive symptoms caused by ecstasy type drug

Mood disorder with depressive symptoms caused by hallucinogen

Mood disorder with depressive symptoms caused by hypnotic

Mood disorder with depressive symptoms caused by opioid

Mood disorder with depressive symptoms caused by sedative

Mood disorder with depressive symptoms caused by stimulant

Mood disorder with depressive symptoms caused by synthetic cathinone

Mood disorder with depressive symptoms caused by volatile inhalant

Mood disorder with manic symptoms caused by alcohol

Mood disorder with manic symptoms caused by anxiolytic

Mood disorder with manic symptoms caused by cocaine

Mood disorder with manic symptoms caused by dissociative drug

Mood disorder with manic symptoms caused by ecstasy type drug

Mood disorder with manic symptoms caused by hallucinogen

Mood disorder with manic symptoms caused by hypnotic

Mood disorder with manic symptoms caused by opioid

Mood disorder with manic symptoms caused by sedative

Mood disorder with manic symptoms caused by synthetic cathinone

Mood disorder with manic symptoms caused by volatile inhalant

Mood disorder with mixed depressive and manic symptoms caused by anxiolytic

Mood disorder with mixed depressive and manic symptoms caused by cocaine

Mood disorder with mixed depressive and manic symptoms caused by dissociative drug

Mood disorder with mixed depressive and manic symptoms caused by ecstasy type drug

Mood disorder with mixed depressive and manic symptoms caused by hallucinogen

Mood disorder with mixed depressive and manic symptoms caused by hypnotic

Mood disorder with mixed depressive and manic symptoms caused by opioid

Mood disorder with mixed depressive and manic symptoms caused by sedative

Mood disorder with mixed depressive and manic symptoms caused by stimulant

Mood disorder with mixed depressive and manic symptoms caused by synthetic cathinone

Mood disorder with mixed depressive and manic symptoms caused by volatile inhalant

Mood disorder with mixed manic and depressive symptoms caused by alcohol

Multiple injuries of abdomen

Multiple injuries of ankle

Multiple injuries of foot

Multiple injuries of forearm

Multiple injuries of hand

Multiple injuries of head and chest

Multiple injuries of hip

Multiple injuries of lower back

Multiple injuries of lower leg

Multiple injuries of pelvis

Multiple injuries of shoulder region

Multiple injuries of thigh

Multiple injuries of upper arm

Multiple injuries of wrist

Multiple open wounds of abdomen

Multiple open wounds of ankle

Multiple open wounds of foot

Multiple open wounds of hand

Multiple open wounds of hip

Multiple open wounds of lower back

Multiple open wounds of multiple body regions

Multiple open wounds of pelvic region

Multiple open wounds of thigh

Multiple open wounds of wrist

Multiple perforations of bilateral tympanic membranes

Multiple perforations of left tympanic membrane

Multiple perforations of right tympanic membrane

Multiple superficial injuries of abdominal wall

Multiple superficial injuries of ankle

Multiple superficial injuries of foot

Multiple superficial injuries of hand

Multiple superficial injuries of hip

Multiple superficial injuries of lower back

Multiple superficial injuries of shoulder region

Multiple superficial injuries of surface region of pelvis

Multiple superficial injuries of thigh

Multiple superficial injuries of upper arm

Multiple superficial injuries of wrist

Myopia of left eye

Myopia of right eye

Nail fragility

Nausea and vomiting following administration of anesthetic agent

Neck pain co-occurrent with neck stiffness following whiplash injury to neck

Neck pain co-occurrent with tenderness of neck following whiplash injury to neck

Neck rotated to left

Neck rotated to right

Neck rotation

Need for personal care assistance

Needs assistance with communication

Needs assistance with community resources

Neonatal disorder of endocrine system

Neonatal disorder of oral mucosa

Neonatal exposure to tobacco smoke

Neonatal metabolic disorder

Neonatal oral candidiasis

Neuralgia of nerve of left lower limb

Neuralgia of nerve of right lower limb

Nicotine dependence with current use

No mechanism for timely refill

Non suicidal self inflicted injury

Nontraumatic blister of skin

Normal menarche

Normal movement of uvula

Normal sized liver

Not easily wakened from sleep

Not proficient in English

Nutritional stunting in adolescence

Nutritional stunting in childhood

Nutritional stunting in infancy

Nutritional wasting in adolescence

Nutritional wasting in childhood

Nutritional wasting in infancy

Object biting

Obsessive compulsive disorder caused by caused by stimulant

Obsessive compulsive disorder caused by cocaine

Obsessive compulsive disorder caused by psychoactive substance

Obsessive compulsive disorder caused by synthetic cathinone

Open bite of abdomen

Open bite of ankle

Open bite of finger

Open bite of foot

Open bite of forearm

Open bite of hand

Open bite of hip

Open bite of lower back

Open bite of lower leg

Open bite of pelvic region

Open bite of shoulder region

Open bite of thigh

Open bite of thorax

Open bite of toe

Open bite of upper arm

Open bite of wrist

Open wound of abdomen

Open wound of left foot

Open wound of left lower leg

Open wound of left lower leg due to dog bite

Open wound of lower back

Open wound of right foot

Open wound of right lower leg

Open wound of right lower leg due to dog bite

Open wound of skin

Open wound of thorax

Opioid dependence with current use

Oppositional defiant disorder co-occurrent with chronic irritability-anger

Oppositional defiant disorder co-occurrent with chronic irritability-anger with normal prosocial emotions

Oppositional defiant disorder without chronic irritability-anger

Oppositional defiant disorder without chronic irritability-anger with limited prosocial emotions

Oppositional defiant disorder without chronic irritability-anger with normal prosocial emotions

Oral mucosa normal

Oral steroid-dependent asthma

Orthopedic hardware in situ

Otitis externa of bilateral external auditory canals caused by Candida species

Otitis externa of left external auditory canal caused by Candida species

Otitis externa of left external auditory canal caused by human herpesvirus 3

Otitis externa of right external auditory canal caused by Candida species

Otitis externa of right external auditory canal caused by human herpesvirus 3

Otogenic otalgia of bilateral ears

Otogenic otalgia of left ear

Otogenic otalgia of right ear

Otorrhagia of bilateral ears

Pain relief by lowering leg

Paresthesia of finger

Patient identity verified

Periorbital abscess of left eye

Persistent headache due to and following injury of head

Persistent insect bite reaction

Phototoxic reaction of skin caused by cosmetic

Phototoxic reaction of skin caused by fragrance

Pigmentation of skin caused by artificial ultraviolet light

Pink discharge from wound

Plantarflexion deformity of bilateral feet

Plantarflexion deformity of left foot

Plantarflexion deformity of right foot

Polydactyly of biphalangeal thumb

Polydactyly of index finger

Popping of left temporomandibular joint on opening

Popping of right temporomandibular joint on opening

Prescription of anticipatory care medication not appropriate

Prescription restricted to mail order pharmacy

Primary chronic pain

Primary school started but not finished

Problem of ankle

Problem of chest

Problem of elbow

Problem of finger

Problem of hand

Problem of hip

Problem of jaw

Problem of low back

Problem of lower limb

Problem of neck

Problem of prostate

Problem of shoulder

Problem of thigh

Problem of upper limb

Problem of wrist

Proficient in English

Prolapse of thoracic intervertebral disc with degeneration

Prolonged grief disorder

Psychological resilience

Puncture wound and foreign body of ankle

Puncture wound and foreign body of foot

Puncture wound of abdomen with foreign body

Puncture wound of abdomen without foreign body

Puncture wound of finger with foreign body

Puncture wound of finger without foreign body

Puncture wound of forearm with foreign body

Puncture wound of forearm without foreign body

Puncture wound of hand with foreign body

Puncture wound of hand without foreign body

Puncture wound of hip with foreign body

Puncture wound of hip without foreign body

Puncture wound of lower back with foreign body

Puncture wound of lower back without foreign body

Puncture wound of lower leg with foreign body

Puncture wound of lower leg without foreign body

Puncture wound of pelvic region with foreign body

Puncture wound of pelvis without foreign body

Puncture wound of shoulder region with foreign body

Puncture wound of shoulder without foreign body

Puncture wound of thigh with foreign body

Puncture wound of thigh without foreign body

Puncture wound of thorax with foreign body

Puncture wound of thorax without foreign body

Puncture wound of toe with foreign body

Puncture wound of toe without foreign body

Puncture wound of upper arm with foreign body

Puncture wound of upper arm without foreign body

Puncture wound of wrist with foreign body

Puncture wound of wrist without foreign body

Puncture wound without foreign body of ankle

Puncture wound without foreign body of foot

Purple discharge from wound

Purpura of periwound skin

Purpura of skin caused by mechanical force

Raised seborrheic keratosis

Recurrent acute serous otitis media of left middle ear

Recurrent acute serous otitis media of right middle ear

Recurrent acute streptococcal tonsillitis

Recurrent dislocation of bilateral temporomandibular joints

Recurrent dislocation of left temporomandibular joint

Recurrent dislocation of right temporomandibular joint

Recurrent instability of joint

Recurrent skin infection

Recurrent subluxation of bilateral temporomandibular joints

Recurrent subluxation of left temporomandibular joint

Recurrent subluxation of right temporomandibular joint

Recurrent vulvitis

Red discharge from wound

Refuses to discontinue medication

Relationship problem between parent and adopted child

Relief of symptom on limb elevation

Repetitive strain injury of left forearm

Repetitive strain injury of left hand

Repetitive strain injury of left shoulder

Repetitive strain injury of left upper arm

Repetitive strain injury of right forearm

Repetitive strain injury of right hand

Repetitive strain injury of right shoulder

Repetitive strain injury of right upper arm

Requires continuous supervision for activities of daily living

Requires hepatitis B booster

Requires telephone language interpreter service

Requires vaccination

Retained foreign body of bilateral middle ears

Retained magnetic foreign body in left eye

Retained magnetic foreign body in right eye

Retained nonmagnetic foreign body in left eye

Retained nonmagnetic foreign body in right eye

Retrocalcaneal bursitis of left foot

Retrocalcaneal bursitis of right foot

Right femoral hernia without obstruction and without gangrene

Right ingrown toenail with infection

Right knee abrasion

Right leg peripheral neuropathy

Right little league elbow

Right wrist contusion

Salpingitis of left eustachian tube

Salpingitis of right eustachian tube

Scapulothoracic bursitis

Scapulothoracic bursitis of left shoulder

Scapulothoracic bursitis of right shoulder

Secondary mood disorder

Secondary neurodevelopmental disorder

Sedative dependence with current use

Sedative substance withdrawal with perceptual disturbances

Sedative withdrawal without complication

Sedative withdrawal with seizure

Sensation of being cold

Sensation of being warm

Sensation seeking

Sense of entitlement

Sensory aversion to particular foods

Sequela of Guillain Barre syndrome

Severe acquired hearing loss

Severe controlled persistent asthma

Severe major depressive disorder co-occurrent with anxiety single episode

Severe pediatric obstructive sleep apnea

Severe uncontrolled persistent asthma

Sexually abstinent

Short stature of childhood

Significantly low body weight co-occurrent and due to anorexia nervosa of binge-eating purging type

Significantly low body weight co-occurrent and due to anorexia nervosa of restricting type

Sleep disorder caused by cannabis

Sleep disorder caused by nicotine

Sleep disorder caused by psychoactive substance

Sleep disorder caused by stimulant

Sleep disorder caused by synthetic cannabinoid

Sleep disorder caused by synthetic cathinone

Social needs met

Social role conflict

Spacing of anterior mandibular teeth

Spacing of anterior maxillary teeth

Spacing of anterior teeth

Spacing of posterior mandibular teeth

Spacing of posterior maxillary teeth

Spacing of posterior teeth

Spasm of muscle of lower back

Sprain of collateral ligament of interphalangeal joint of great toe

Sprain of Interphalangeal joint of lesser toe

Sprain of ligament of trunk

Sprain of metatarsophalangeal joint of great toe

Sprain of metatarsophalangeal joint of lesser toe

Sprain of sternocostal ligament

Sprain of talofibular ligament of left ankle

Sprain of talofibular ligament of right ankle

Sputum loose

Stapled skin wound

Status migrainosus with aura

Stenosis of bilateral external ear canals due to and following infection

Stenosis of bilateral external ear canals due to and following inflammation

Stenosis of left external ear canal due to and following inflammation

Stenosis of left external ear canal due to and following procedure

Stenosis of right external ear canal due to and following inflammation

Stenosis of right external ear canal due to and following procedure

Sterile strip closed skin wound

Stimulant intoxication

Strain of adductor muscle of thigh

Strain of biceps brachii muscle

Strain of carpal joint

Strain of carpometacarpal joint

Strain of extensor muscle at forearm level

Strain of extensor muscle of finger at forearm level

Strain of finger

Strain of flexor muscle at forearm level

Strain of flexor muscle of finger at forearm level

Strain of flexor tendon at forearm level

Strain of flexor tendon of finger at forearm level

Strain of great toe

Strain of intrinsic muscle of finger

Strain of intrinsic muscle of foot

Strain of intrinsic muscle of thumb

Strain of lesser toe

Strain of muscle at thorax level

Strain of muscle of head

Strain of muscle of hip

Strain of muscle of left posterior lower leg

Strain of muscle of long head of biceps brachii

Strain of muscle of pelvis

Strain of muscle of right posterior lower leg

Strain of quadriceps muscle

Strain of tendon at thorax level

Strain of tendon of abdomen

Strain of tendon of adductor muscle of thigh

Strain of tendon of biceps brachii

Strain of tendon of extensor muscle at forearm level

Strain of tendon of extensor muscle of finger at forearm level

Strain of tendon of head

Strain of tendon of intrinsic muscle of finger

Strain of tendon of intrinsic muscle of foot

Strain of tendon of intrinsic muscle of thumb

Strain of tendon of left ankle

Strain of tendon of lower back

Strain of tendon of muscle of hip

Strain of tendon of pelvis

Strain of tendon of right ankle

Strain of tendon of right wrist

Strain of tendon of triceps brachii

Strain of thumb

Subacromial bursitis of left shoulder

Subacromial bursitis of right shoulder

Subacute vulvitis

Subcoracoid impingement of right shoulder region

Subcortical dementia

Subcutaneous lipoma

Subdeltoid bursitis of left shoulder

Subdeltoid bursitis of right shoulder

Subpatellar bursitis of left knee

Subpatellar bursitis of right knee

Substance induced psychotic disorder

Superficial foreign body of scalp

Superficial injury of anterior wall of thorax

Superficial injury of elbow, forearm and wrist

Superficial injury of lower back

Superficial injury of posterior chest wall

Superficial partial thickness burn of face

Superficial partial thickness burn of hand

Superficial partial thickness burn of head

Superficial partial thickness burn of hip

Superficial partial thickness burn of lower limb

Superficial partial thickness burn of perineum

Superficial partial thickness burn of trunk

Superficial partial thickness burn of upper limb

Suprapatellar bursitis of left knee

Suprapatellar bursitis of right knee

Surgical incision wound of skin

Sutured skin wound

Swelling of bilateral feet

Swelling of bilateral lower limbs

Swelling of left ear structure

Swelling of left foot

Swelling of left lower limb

Swelling of right ear structure

Swelling of right foot

Swelling of right lower limb

Syndrome of infant of mother with gestational diabetes

Synovitis of left ankle joint

Synovitis of right ankle joint

Synthetic cannabinoid abuse

Synthetic cannabinoid dependence

Synthetic cannabinoid intoxication

Synthetic cannabinoid withdrawal

Synthetic cathinone dependence

Synthetic cathinone intoxication

Synthetic cathinone withdrawal

Taking medication without order

Tan discharge from wound

Tear trough deformity of lower eyelid

Temporomandibular joint disc displacement without reduction with limited opening

Tendinitis of left elbow

Tendinitis of left forearm

Tendinitis of left hand

Tendinitis of left hip adductor muscle

Tendinitis of left knee

Tendinitis of left quadriceps tendon

Tendinitis of left rotator cuff

Tendinitis of right elbow

Tendinitis of right forearm

Tendinitis of right hand

Tendinitis of right hip adductor muscle

Tendinitis of right knee

Tendinitis of right quadriceps tendon

Tendinitis of right rotator cuff

Tendinosis of right shoulder

Tenosynovitis of bilateral hands

Tenosynovitis of left ankle

Tenosynovitis of left foot

Tenosynovitis of left hand

Tenosynovitis of left wrist

Tenosynovitis of right ankle

Tenosynovitis of right foot

Tenosynovitis of right hand

Tenosynovitis of right wrist

Third degree burn of head and neck

Third degree burn of head and/or neck

Third degree burn of hip

Tobacco dependence caused by chewing tobacco

Tobacco dependence caused by cigarettes

Tongue color normal

Torsional nystagmus

Total care needs met

Total perforation of bilateral tympanic membranes

Toxic effect of secondary tobacco exposure

Transitory iatrogenic neonatal hypoglycemia

Traumatic subluxation of spine due to birth trauma

Trigger thumb of left hand

Trigger thumb of right hand

Twin live born in hospital by vaginal delivery

Ulcer of skin caused by chromium

Umbilical adenoma

Umbilical cord complication during labor and delivery

Unable to afford medication

Uncomplicated allergic asthma

Uncomplicated non-allergic asthma

Underweight in adolescence

Underweight in childhood

Underweight in infancy

Uses contraception

Viral labyrinthitis of left inner ear

Viral labyrinthitis of right inner ear

Wandering rash of mouth

Weakness of left facial muscle

Weakness of left facial muscle due to and following non-traumatic intracerebral hemorrhage

Weakness of left hand

Weakness of right facial muscle

Weight abnormal for age

Wound abscess following procedure

Wound of abdomen

Wound of axillary region

Wound of sternal region

Yellow discharge from wound

