# ICD-10 Preparation

2014 Weblab Series

Clinicians / April 2014

Physician's Computer Company



## Deadline Delayed

- Congress voted to delay ICD-10 implementation
  - "The Secretary of Health and Human Services may not, *prior to October 1, 2015*, adopt ICD—10 code sets as the standard for code sets"



#### Supports

- Quality of Care
- Billed services
  - Drives revenue Medical Necessity



#### Documentation

Old adage still stands:

"If it wasn't documented, it wasn't done"



#### Differences

- Increased specificity in ICD-10
  - Laterality
    - R=1, L=2, 3=Bilat (absence of bilateral code requires both 1&2)
  - Dominant vs. non-dominant
  - Body site (Bone vs. Joint, quadrants)
  - Type (breech vs. transverse lie presentation)
  - Severity (mild, mod, sev)
  - Intent (self-harm, assault, error)
  - Source (identify perpetrator)



## Body Site - Finger

- fibula
- - distal end -see Dislocation, ankle
- - proximal end —see Dislocation, knee
- finger S63.25-
- index S63.25-
- interphalangeal S63.27-
- - distal S63.29-
- - - index S63.29-
- - - little S63.29-
- - middle S63.29-
- - ring S63.29-
- - index S63.27-
- - little S63.27-
- - middle S63.27-
- - proximal S63.28-
- - - index S63.28-
- - - little S63.28-
- - - middle S63.28-
- - - ring S63.28-
- - ring S63.27-
- - little S63.25-
- metacarpophalangeal S63.26-
- - index S63.26-
- - little S63.26-
- - middle S63.26-
- - ring S63.26-
- - middle S63.25-
- - recurrent -see Dislocation, recurrent, finger
- ring S63.25-
- - thumb —see Dislocation, thumb
- foot S93.30-



**Pediatric Software Just Got Smarter. Your Practice Just Got Healthier.** 

#### Paper Notes

- Prior Visits
  - Flow sheets
- Legibility



#### Translate Viral Syndrome

- Viral Syndrome in ICD-9: 079.99 Unspecified viral infection
- Viral Syndrome in ICD-10: Index

#### Virulent bubo A57

Virus, viral —see also condition

- as cause of disease classified elsewhere B97.89
- cytomegalovirus B25.9
- human immunodeficiency (HIV) —see Human, immunodeficiency virus (HIV) disease
- infection —see Infection, virus
- specified NEC B34.8
- swine influneza (viruses that normally cause infections in pigs) (see also Influenza, due to, identified novel influenza A virus) J09.X2
- West Nile (fever) A92.30
- with
- - complications NEC A92.39
- - cranial nerve disorders A92.32
- - encephalitis A92.31
- - encephalomyelitis A92.31
- - neurologic manifestation NEC A92.32
- - optic neuritis A92.32
- - polyradiculitis A92.32

Viscera, visceral —see condition



## Viral Syndrome ICD-10

- Translator says:
  - B97.89 Other viral agents as the cause of diseases classified elsewhere

- Tabular shows:
  - Agreement: B97.89 Other viral agents as the cause of diseases classified elsewhere



#### Translate Cough

- Cough in ICD-9: 786.2
- Cough in ICD-10: Index

Cotard's syndrome F22

Cot death R99

Cotia virus B08.8

Cotton wool spots (retinal) H35.81

Cotungo's disease —see Sciatica

Cough (affected) (chronic) (epidemic) (nervous) R05

- with hemorrhage —see Hemoptysis
- bronchial R05
- - with grippe or influenza —see Influenza, with, respiratory manifestations NEC
- functional F45.8
- hysterical F45.8
- laryngeal, spasmodic R05
- psychogenic F45.8
- smokers' J41.0
- tea taster's B49

Counseling (for) Z71.9

- abuse NEC
- - perpetrator Z69.82
- - victim Z69.81
- alcohol abuser Z71.41
- - family Z71.42



## Cough (cont'd)

• Cough in ICD-10: Tabular

Pulmonary hemorrhage NOS

R04.9 Hemorrhage from respiratory passages, unspecified

R05 Cough

Excludes1: cough with hemorrhage (R04.2) smoker's cough (J41.0)

R06 Abnormalities of breathing

Excludes1: acute respiratory distress syndrome (J80)



#### Translate Cough

- Cough in ICD-9: 786.2
- Cough in ICD-10: Index

Cotard's syndrome F22

Cot death R99

Cotia virus B08.8

Cotton wool spots (retinal) H35.81

Cotungo's disease —see Sciatica

Cough (affected) (chronic) (epidemic) (nervous) R05

- with hemorrhage —see Hemoptysis
- bronchial R05
- - with grippe or influenza —see Influenza, with, respiratory manifestations NEC
- functional F45.8
- hysterical F45.8
- laryngeal, spasmodic R05
- psychogenic F45.8
- smokers' J41.0
- tea taster's B49

Counseling (for) Z71.9

- abuse NEC
- - perpetrator Z69.82
- - victim Z69.81
- alcohol abuser Z71.41
- - family Z71.42



## Cough (cont'd)

• Cough in ICD-10: Tabular

Pulmonary hemorrhage NOS

R04.9 Hemorrhage from respiratory passages, unspecified

R05 Cough

Excludes1: cough with hemorrhage (R04.2) smoker's cough (J41.0)

R06 Abnormalities of breathing

Excludes1: acute respiratory distress syndrome (J80)



#### New Partner Features

- V6.21 will be deployed everywhere by 4/17/14 (sooner if you use EHR)
- Includes :
  - ICD-10 Diagnosis table populated
  - ICD-10 Snapcodes table populated
  - ICD-10 csedit
  - Checkouticd10 (chuckicd10)



#### Resources

- Slides, forms and videos
  - http://www.pedsource.com/ICD-10-resources
- AAPC Translator:
  - http://www.aapc.com/ICD-10/codes/
- support@pcc.com



## Many Thanks for Attending!

support@pcc.com www.pedsource.com/ICD-10-resources

