

# **ICD-10 Notes for Notes**

This document is offered as an at-a-glance reference for clinicians. It lists, by condition, some notations which may be made in encounter notes that will assist with quickly selecting very specific ICD-10 codes. For each condition seen, be sure to address these highlights in your note if they apply to your patient *on that day*. This will empower whomever selects ICD codes for your charges to make the best possible choice and creates a note which supports the proper code choice. If your notes already include these details, then this may serve as a checklist to ensure that your protocols, encounter forms, chart notes or other handouts are tools which support gathering sufficient detail at every visit.

#### ADD/ADHD

Type: Predominantly inattentive, Predominantly hyperactive, Combined

*NOTE:* BEFORE definitive diagnosis is made, consider "*Symptoms and signs involving cognition, perception, emotional state and behavior*": Attention & concentration deficit, Restlessness & agitation, Overactivity

### **Asthma**

Chronicity/Severity: Acute, Chronic, Mild, Intermittent, Persistent

Type: Allergic, Extrinsic, Intrinsic

With/without: Acute exacerbation, Infection, COPD, Chronic obstructive bronchitis

\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

# **Bronchitis, Bronchiolitis**

Chronicity: Acute, Chronic

Due to organism (if known): Strep, RSV, rhinovirus, Unknown = unspecified

\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

<sup>\*</sup>These notes support codes which will add to the greater data set to which we expect ICD-10 will contribute. It remains to be seen whether their use will affect payment.



#### **Common Cold**

\*\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

# **Conjunctivitis**

Laterality: Left, Right, Bilateral

Chronicity: Acute, Chronic

External Cause: Bacteria, Virus, Organism (ONLY if known)

Type: Follicular, Mucopurulent, Atopic, Toxic, Pseudomembranous, Serous

# Constipation

Type: Psychogenic, Slow transit, Outlet dysfunction

# Cough

See section for **Symptoms** (below)

### **Dermatitis/Eczema**

Chronicity: Acute, Chronic

*Type:* Erythematous, Fissum, Rubrum, Squamous

Due to: Exposure to , Ingestion of

### **Diabetes**

Type: 2, 1, Juvenile

Underlying conditions: Cushing's, CF, Malnutrition

Complications: Kidney, Cardiac, Opthalmic, Neuro, Oral, Skin

Additional Details: Insulin use

### **Enuresis**

Considered a symptom unless Due to: Substance, Physiological condition

<sup>\*</sup>These notes support codes which will add to the greater data set to which we expect ICD-10 will contribute. It remains to be seen whether their use will affect payment.



# Foreign Body

Specific Site: Skin (location), Eye, Orifice,

Type of entry: Accidental, Ingestion, Resulting from procedure

Fragment/Object Type: Splinter, Wood, Metal, Retained

Associated Injury/Wound: Laceration, Puncture

# **Feeding Problems**

Considered symptom unless newborn up to 28 days.

For newborns, Type: Bilious, Other

#### **Fever**

Considered symptom unless newborn up to 28 days or if cause is known.

Newborn: Environmental, Other, Postoperative, Postimmunization

Cause: Underlying condition, Infection w/organism

### **Gastritis**

Chronicity: Acute, Chronic

Bleeding: With, Without

*Underlying Causes:* Diet deficiency

Type: Allergic, Nervous, Spastic

#### **Immunizations**

NOTE: CPTs will identify the immunizations given

Reason Immunization Not Carried Out: Acute illness, Chronic illness, Immune compromised state, Allergy to vaccine or component, Other contraindication, Patient having had disease, Patient decision for reasons of belief/group pressure, Religious belief, Caregiver/guardian/parental refusal

Underimmunized Status: Delinquent, Lapsed schedule

<sup>\*</sup>These notes support codes which will add to the greater data set to which we expect ICD-10 will contribute. It remains to be seen whether their use will affect payment.



#### Influenza

*Type:* Seasonal, Novel, (Virus, if known: Avian, Bird, A/H5N1, Other animal origin(not bird or swine), Swine), Unknown = unspecified

*Manifestations:* Pneumonia, Gastrointestinal, OM, Laryngitis, Pharyngitis, Upper respiratory symptoms

# **Migraine**

*Type:* Abdominal, Complicated, Hemiplegic, Intractable, Not intractable, Menstrual, Opthalmoplegic

Status: With/without migrainosus, With/without aura, With/without refractory migraine

# **Nasopharyngitis**

Type: Acute, Chronic, Allergic

Causes: Allergens

\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

#### **Rhinitis**

Type: Acute, Chronic, Allergic

Causes: Allergens

\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

# **Newborn/Delivery**

Place of Birth: In hospital, Outside hospital

Type of delivery: Vaginal, Cesarean

# **Obesity, Overweight**

*Type:* Morbid

Additional Detail: BMI

Causes: Excess calories, drug-induced,

\*These notes support codes which will add to the greater data set to which we expect ICD-10 will contribute. It remains to be seen whether their use will affect payment.



### **Otitis Media**

Laterality: Left, Right, Bilateral

Chronicity: Recurrent, Acute, Chronic

*Types*: Allergic (acute, subacute), Serous, Nonsuppurative, Mucoid, Sanguinous, Seromucinous, Tubotympanic, Atticoantral

Rupture: With/without spontaneous perforation of the tympanic membrane

Cause (if known): Organism

\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

#### Otitis Externa

Laterality: Left, Right, Bilateral

*Type:* Malignant, Infective (Diffuse, hemorrhagic, Swimmer's), Actinic, Chemical, Contact, Eczematoid, Reactive

### **Pneumonia**

Due to: Bacterium, Virus, Specific organism (if known)

Specific Site (if known): Broncho, Lobar

*Type:* Hypostatic, Aspiration (If known, include substance), Newborn (If known, include substance), Inhalation (If known, include substance)

\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

# Sinusitis (Chronic)

Chronicity: Acute, Chronic

Due to: Allergies, TB, Flu

Specific Site (ONLY when known): Maxillary, Frontal, Ethmoidal, Sphenoidal, Pansinusitis

\*Extra Credit - Tobacco Exposure: Environmental, In the perinatal period, History of tobacco use, Occupational exposure, Use, Dependence

\*These notes support codes which will add to the greater data set to which we expect ICD-10 will contribute. It remains to be seen whether their use will affect payment.



# **Symptoms**

Symptoms should not be billed when the condition of which they are a part is billed. NOTE: Some carriers will pay for tests performed due to symptoms noted when results are used to arrive at a definitive diagnosis/condition.

### URI

Chronicity: Acute, Chronic, Recurrent

Due to (if known): Bacterial, Viral, Influenza

Specific Body Site: Larynx, Pharynx, Epiglottis, Sinus, Multiple sites

### UTI

Specific Body Site (ONLY if known): Bladder, Kidney

Due to (ONLY if known): Bacterium, Virus, TB

### **Well Care**

Age: Newborn, 8-28 days, 29 days- 17 years, 18+

*Healthy Child Encountering:* Adverse socioeconomic conditions, Awaiting foster or adoptive placement, Maternal illness, Number of children at home preventing or interfering with normal care

Additional Details: With/without abnormal findings

Examination for: Adolescent development state, period of delayed growth in childhood, Eyes and vision, Ears and hearing, Participation in sport, Adoption services

<sup>\*</sup>These notes support codes which will add to the greater data set to which we expect ICD-10 will contribute. It remains to be seen whether their use will affect payment.

