PCC Coding Weblab

Jan Blanchard

February 2016



Control Your Future™

Roadmap

- v7.2 Deployment
 - EHR 2/28/16
 - Partner 3/1 3/3/16
 - Weblabs
 - Wed, Feb 24th, 12:30pm ET (9:30am PT)
 - Thurs, Feb 25th, 3:30pm ET (12:30pm PT)



Control Your Future™

Partner v7.2

- FIXED
 - Claims with V,W,X or Y codes as primary will now give a warning



Coding Q's

- Diagnosis Codesets
 - SNOMED vs. ICD
 - Chart vs bill
 - Example:
 - Subungual Hematoma

Reverse engineer it



Control Your Future™

Coding Q's (cont'd)

Episode of Care

- Initial Encounter
 - 7th Character A
 - For encounters while in active treatment
- · Subsequent Encounter
 - 7th Character D
 - For encounters after active treatment / routine care during recovery phase



Pediatric EHR Solutions

Control Your Future™

Episode of Care (cont'd)

- Sequela
 - 7th Character S
 - For encounters treating complications or conditions that arise as a direct result of a original condition
 - **Use both the injury code and the code for the sequela itself**
 - S is added only to the injury code
 - Sequela code is sequenced first, followed by the injury code



Episode of Care Example

- · S60 Superficial injury of wrist, hand and fingers
 - S60.34 External constriction of thumb Hair tourniquet syndrome of thumb
 - Use additional cause code to identify the constricting item (W49.0-)
- W49.0 Item causing external constriction 7th required
 - W49.01 Hair causing external constriction
 - W49.02 String or thread causing external constriction
 - W49.03 Rubber band causing external constriction
 - W49.04 Ring or other jewelry causing external constriction
 - W49.09 Other specified item causing external constriction



Pediatric EHR Solutions

Control Your Future™

Coding Q's (cont'd)

- Edinburgh Postnatal Depression Screening
 - 99420 Administration and interpretation of health risk assessment
 - Bill Mom or Baby
 - Diagnosis



Pediatric EHR Solutions


Control Your Future™

Coding Q's (cont'd)

ISO:

ICD for asymmetrical thigh folds in a 10 month old FOUND:

R29.898 Other symptoms and signs involving the musculoskeletal system



Coding Q's (cont'd)

HCPCS

http://www.icd9data.com/HCPCS/2016/default.htm

- Route (Injection, oral)
- · Dosage Administered
- Units Base "package"
- · Prednisone vs. Prednisolone
 - J7510 Prednisolone oral, per 5 mg
 - J7512 Prednisone, immediate release or delayed release, oral, 1mg



Control Your Future™

Resources

- HCPCS 2016 now on this site!
 - http://www.icd9data.com/HCPCS/2016/default.htm
- AAP Coding Newsletter (Free for PCC clients)
 - Once logged into PCCTalk
 - https://coding.solutions.aap.org/
- http://learn.pcc.com/
- http://independentpediatrician.com



PCC Pediatric EHR Solutions

Control Your Future™

AAP Coding Newsletter

Feb 2016 Issue

- Excludes1
- -25 Modifier use cases
- You Code It
 - Prolonged Clinical Staff Time
- Q&A
 - Interpretation charges for radiograph records
 - Drainage of Abscess in external ear
 - Use of Scribes



Pediatric EHR Solutions

 <u> </u>

What Questions Do You Have?



Control Your Future™

Next Coding Weblab: Tue 3/15/16 2pm EST



Control Your Future™

Jan Blanchard, CPC, CPEDC Pediatric Solutions Consultant

PCC

Control Your Future.

jan@pcc.com www.pcc.com

