PCC CODING WEBLAB

Jan Blanchard, CPEDC

Sept 2016



Control Your Fu

Roadmap - Version 7.5

- •Deployment on track for Sunday 9/25/16
- Release Resources (weblabs, videos, manuals)
 - -v7.5 Video: http
 - -v7.5 Manual: http://learn.pcc.com/help/pcc-7-5-release/
 - -Weblabs
 - Wed Sep 21, 2016 12:30 pm EDT
 - Thu Sep 22, 2016 3:30 pm EDT





PCC v7.5 Highlights

Partner

- ICD-10 updates for use beginning 10/1/16
 snomedmap: Favorite SNOMEDs mapped to Deleted or Modified 2017 ICD-10
 - o Modified Descriptors List
- Secondary e-claims will accommodate attachment codes
- Reporting on CARC codes added
- Policies will be stored distinctly
 - Partner will understand when primary and secondary are the same carrier!!!





PCC v7.5 Highlights

PCC EHR:

- ICD-10 updates for use beginning 10/1/16
- New status options on EHR schedule
 - Ins/Billing
 - Ready for Checkout
 - Custom Statuses





ICD-10 2017 Updates

- 1943 New codes
- 422 Revisions
- Only 50 ever billed by all PCC Users
- 305 Deletions
- Only 75 ever billed by all PCC Users

https://www.cms.gov/Medicare/Coding/ICD10/Downloads/2017-ICD10-Code-Tables-Index.zip





Code Descriptor F422 Mode Cossessional thoughts and acts F5018 Tigne eating decoder F402 Impre eating decoder F604 Transsecusion H5004, Conductive hearing loss, (R.L.) wheelfrield hearing on contra side H5004, Conductive hearing loss, (R.L.) wheelfrield hearing on contra side H5004, Conductive hearing loss, (R.L.) wheelfrield hearing on contra side H5004, Conductive hearing loss, (R.L.) wheelfrield hearing on contra side H5004, Conductive decoder (R.L. 8) H5004, Conductive decoder of the conductive hearing on contra side H5004, Conductive decoder of the conductive hearing on contra side H5004, Conductive decoder of the conductive hearing on contra side H5004, Conductive for the conductive hearing on contra side H5004, Conductive for the conductive hearing hearing

50 of 422 Revisions

Code	Usage	Newest Description	Old Description
P00.89	2024	Newborn affected by other maternal conditions	Newborn (suspected to be) affected by other maternal conditions
N10	923	Acute pyelonephritis Acute tubulo-interstitial nephritis	
P02.69	819	Newborn affected by other conditions of umbilical cord	Newborn (suspected to be) affected by other conditions of umbilical cord
P03.0	684	Newborn affected by breech delivery and extraction	Newborn (suspected to be) affected by breech delivery and extraction
P00.2	614	Newborn affected by maternal infectious and parasitic diseases	Newborn (suspected to be) affected by maternal infectious and parasitic diseases
P00.9	369	Newborn affected by unspecified maternal condition	Newborn (suspected to be) affected by unspecified maternal condition
P02.7	279	Newborn affected by choricamnionitis	Newborn (suspected to be) affected by choricomnionitis
P04.49	272	Newborn affected by maternal use of other drugs of addiction	Newborn (suspected to be) affected by maternal use of other drugs of addiction
P03.3	246	Newborn affected by delivery by vacuum extractor [ventouse]	Newborn (suspected to be) affected by delivery by vacuum extractor [ventouse]
F64 1	147	147 Dual mie transvestism Gender identity disorder in adolescence and additional	





75 of 305 Deletions

Code	Usage Count	Newest Description
E78.0	2568	Pure hypercholesterolemia
R31.2	1922	Other microscopic hematuria
F42	1297	Obsessive-compulsive disorder
N50.8	1205	Other specified disorders of male genital organs
K90.4	1092	Malabsorption due to intolerance, not elsewhere classified
K52.2	1018	Allergic and dietetic gastroenteritis and colitis
R39.19	745	Other difficulties with micturition
Z98.89	703	Other specified postprocedural states
F32.8	573	Other depressive episodes
R82.7	465	Abnormal findings on microbiological examination of urine





Mapping Tools

- Partner
 - o snomedmap
- EHR
 - Billing ConfigurationSearch by ICD





Billing Configuration • ICD-10 Default Diagnoses Billing Configuration Order Mapping (Deposits Mapping Default Procedures CD-1) And (CD-10 Diagnoses Teach for CD-10 Diagnoses Te

-25 Modifier

"Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service"





-25 Modifier

"E&M may be prompted by the condition which required the procedure"





Reading the Carrier's Response

- Billing
 - o Policy provisions result in rejection
 - o Billable to patient, perhaps?

Vs.

- Coding
 - o Improper code selection results in rejection
 - Unlikely the carriers could determine, unless outside clinician's specialty





Sept 2016 AAP Coding Newsletter

- Normal Newborn vs. Hospital Care
 - Examples of "normal"
 - Big RVU differences
- Multiple services
- Procedures
- Coding for Breastfeeding

http://talk.pcc.com/groups/pcctalk/messages/topic/5XfX1yllUc8JEqDMNTtdcA/





What Questions Do You Have?





Feature Demo?



Next Coding Weblab: Wed 10/18/16 3pm EST





Jan Blanchard, CPC, CPEDC Pediatric Solutions Consultant

PCC Control Your Future.

> jan@pcc.com www.pcc.com



