




If a patient comes in for kindergarten shots (no appointment) and then we do the hemoglobin poke too, would we use the Z23 for the shots? What Dx code do we use for the finger poke 36416? The ICD 9 that we used was V72.62.







burlington, VT

Coding Question #2

How do I get access to S30.845A? It's not showing up in diagnosis mapping or diagnosis configuration.

burlington, VT

Coding Answer #2

Manually map it to the SNOMED "Constriction in shaft of penis".

- All ICDs are in Partner; Only *mapped* ICDs are in EHR
- All SNOMEDs are in EHR; No SNOMEDs are in Partner


Note: S30.845 is an *unspecified* code . If the penis is the body site, use S30.842 and a secondary code for the material that caused the stricture.




PCC Pediatric EHR Solutions



Coding Question #3 Coding Answer #3 Can you give me the ppd dx for placing and the If suspected to be infected but not symptomatic: dx for reading when normal? • Z03.89 Encounter for observation for other suspected diseases and conditions ruled out If exposed to Tuberculosis: • Z20.1 Contact with and (suspected) exposure to tuberculosis Screened/No known exposure): Negative - Z11.1 Encounter for screening for respiratory tuberculosis Positive - R76.11 Nonspecific reaction to tuberculin skin test without active tuberculosis Pediatric EHR Solutions PCC Pediatric EHR Solutions burlington, VT burlington, VT





June 2017 AAP Coding Newsletter

Access at PCCTalk

- Who and What for 99211
- Coding for Complications of Neonatal Circumcision
- You Code It! Preventive Counseling
- Sports and Camp Physicals





Roadmap

- Version 8.1 General Deployment
- July 30, 2017
- Option: Personal Balance to display in Patient Portal





burlington, VT

