September 2021 Code Updates

PCC

Code Updates - CPT Codes

AMA

- Admin code 0013A for Moderna third dose.
 Effective for Emergency Use Authorization as of Aug. 12, 2021.
- Admin code **0003A** for Pfizer-BioNTech third dose.
 - Effective for Emergency Use Authorization as of Aug. 12, 2021.



Code Updates - HCPCS

NEW

• **M0201**: Covid-19 vaccine home admin *Covid-19 vaccine* administration inside a patient's home; reported only once per individual home per date of service when only covid-19 vaccine administration is performed at the patient's home



2022 ICD-10 Updates - Eff 10/1/21

- <u>2022 ICD-10 Tabular Addenda (zip</u> file)
 - Changes only and...it's FREE!!!
- 2022 file list



ICD-10 2022 - Chapter 1

Certain infectious and parasitic diseases (A00-B99)

NEW Synonyms: A37.00 Whooping cough due to Bordetella pertussis without pneumonia

Paroxysmal cough due to Bordetella pertussis without pneumonia

A37.01 Whooping cough due to Bordetella pertussis with pneumonia Paroxysmal cough due to Bordetella pertussis with pneumonia



ICD-10 2022 - Chapter 1 Certain infectious and parasitic diseases (A00-B99)

Changed Excludes:

A77.4 Ehrlichiosis

Excludes1:

Rickettsiosis due to Ehrlichia sennetsu (A79.81)

NEW: anaplasmosis [A. phagocytophilum] (A79.82) rickettsiosis due to Ehrlichia sennetsu (A79.81)



Certain infectious and parasitic diseases (A00-B99)

B97.4 Respiratory syncytial virus as the cause of diseases classified elsewhere

This Excludes2 changed to Excludes1:


acute bronchiolitis due to respiratory syncytial virus (RSV) (J21.0) acute bronchitis due to respiratory syncytial virus (RSV) (J20.5) respiratory syncytial virus (RSV) pneumonia (J12.1)



ICD-10 2022 - Chapter 2 Neoplasms (C00-D49)

No pediatric-specific changes





ICD-10 2022 - Chapter 4 Endocrine, nutritional and metabolic diseases (E00-E89)

No pediatric-specific changes



ICD-10 2022- Chapter 5

Mental, Behavioral and Neurodevelopmental disorders (F01-F99)

Synonyms Moved from: F32.9 Major depressive disorder, single episode, unspecified Depression NOS

Depressive disorder NOS

To:

F32.A Depression, unspecified Depression NOS Depressive disorder NOS



ICD-10 2022- Chapter 5 Mental, Behavioral and Neurodevelopmental disorders (F01-F99)

Change to guidance for F84 Pervasive developmental

disorders

Use Additional code to identify any associated medical condition and intellectual disabilities.

Code also any associated medical condition and intellectual disabilities



ICD-10 2022- Chapter 5 Mental, Behavioral and Neurodevelopmental disorders (F01-F99)

Change to guidance for F98.2 Other feeding disorders of infancy and childhood

Excludes1: feeding difficulties (R63.3)

Excludes2: feeding difficulties (R63.3)





No pediatric-specific changes




ICD-10 2022 - Chapter 7 Diseases of the eye and adnexa (H00-H59)

No pediatric-specific changes



ICD-10 2022 - Chapter 8 Diseases of the ear and mastoid process (H60-H95)

No changes at all!!





ICD-10 2022 - Chapter 10 Diseases of the respiratory system (J00-J99)

Some grammatical fixes and: Change to guidance for J47.0 Bronchiectasis with acute

lower respiratory infection

Use Additional code to identify the infection

Code also to identify infection, if applicable



ICD-10 2022 - Chapter 11 Diseases of the digestive system (K00-K95)

No pediatric-specific changes



ICD-10 2022 - Chapter 12 Diseases of the skin and subcutaneous tissue (L00-L99)

NEW: L24.A Irritant contact derm due to friction or contact w/body fluids

Excludes1: irritant contact dermatitis related to stoma or fistula (L24.B-)

Excludes2: erythema intertrigo (L30.4)

L24.A0 ..., unspecified

L24.A1 ... due to saliva

L24.A2 ... due to fecal, urinary or dual incontinence Excludes1: diaper dermatitis (L22)

L24.A9 ... due friction or contact w/other specified body fluids Irritant contact dermatitis related to endotracheal tube Wound fluids, exudate



ICD-10 2022 - Chapter 12 Diseases of the skin and subcutaneous tissue (L00-L99)

NEW: L24.B Irritant contact dermatitis related to stoma or fistula

Use Additional code to identify any artificial opening status (Z93.-), if applicable, for contact dermatitis related to stoma secretions L24.B0 ... unspecified stoma or fistula Irritant contact dermatitis related to fistula NOS Irritant contact dermatitis related to stoma NOS L24.B1 ... digestive stoma or fistula

Irritant contact dermatitis related to gastrostomy Irritant contact dermatitis related to jejunostomy Irritant contact dermatitis related to saliva or spit fistula



Diseases of the skin and subcutaneous tissue (L00-L99)

NEW: L24.B Irritant contact dermatitis related to stoma or fistula (cont'd)

L24.B2 ... respiratory stoma or fistula Irritant contact dermatitis related to tracheostomy

L24.B3 ... fecal or urinary stoma or fistula

Irritant contact dermatitis related to colostomy Irritant contact dermatitis related to enterocutaneous fistula

Irritant contact dermatitis related to ileostomy



ICD-10 2022 - Chapter 13 Diseases of the musculoskeletal system and connective tissue (M00-M99)

NEW:

M54.50 Low back pain, unspecified

Loin pain

Lumbago NOS

M54.51 Vertebrogenic low back pain

Low back vertebral endplate pain

M54.59 Other low back pain



ICD-10 2022 - Chapter 14 Diseases of the genitourinary system (N00-N99)

New guidance added to:

N39.44 Nocturnal enuresis Excludes2: nocturnal polyuria (R35.81)



ICD-10 2022 - Chapter 15 Pregnancy, childbirth and the puerperium (O00-O9A)

Remember:

The (letter) O chapter is for <u>Mom</u> alone



ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

New guidance:

P00.2 Newborn affected by maternal infectious and

parasitic diseases

Excludes2: newborn affected by (positive) maternal group B streptococcus (GBS) colonization (P00.82)



ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

NEW CODE:

P00.82 Newborn affected by (positive) maternal group B streptococcus (GBS) colonization

Contact with positive maternal group B streptococcus

New guidance:

P00.89 Newborn affected by other maternal conditions Use Additional Excludes 2: newborn affected by positive maternal group B streptococcus (GBS) colonization (P00.82)



Certain conditions originating in the perinatal period (P00-P96)

New guidance:

P09 Abnormal findings on neonatal screening Use Additional code to identify signs, symptoms and

conditions associated with the screening

Includes:

Abnormal findings on state mandated newborn screens Failed newborn screening



ICD-10 2022 - Chapter 16

Certain conditions originating in the perinatal period (P00-P96)

NEW CODES:

P09.1 Abnormal findings on neonatal screening for inborn errors of metabolism

P09.2 Abnormal findings on neonatal screening for congenital endocrine disease

Abnormal findings on neonatal screening for congenital adrenal hyperplasia

Abnormal findings on neonatal screening for hypothyroidism screen



ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96) NEW CODES: (cont'd) P09.3 Abnormal findings on neonatal screening for congenital hematologic disorders Abnormal findings for hemoglobinothies screen Abnormal findings on red cell membrane defects screen Abnormal findings on sickle cell screen P09.4 Abnormal findings on neonatal screening for cystic fibrosis P09.5 Abnormal findings on neonatal screening for critical congenital heart disease

Neonatal congenital heart disease screening failure



ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

NEW CODES: (cont'd) P09.6 Abnormal findings on neonatal screening for neonatal hearing loss Excludes2: encounter for hearing examination following failed hearing screening (Z01.110) P09.8 Other abnormal findings on neonatal screening P09.9 Abnormal findings on neonatal screening, unspecified



ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

New guidance:

P29 Cardiovascular disorders originating in the perinatal period

alformations of the circulatory system xcludes1 (Q20-Q28)

Excludes2: congenital malformations of the circulatory system (Q20-Q28)

P92 Feeding problems of newborn

Excludes1: feeding problems in child over 28 days old (R63.3) Excludes2: feeding problems in child over 28 days old (R63.3)



ICD-10 2022 - Chapter 17 Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Punctuation and grammar changes only



ICD-10 2022 - Chapter 18 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

NEW CODES: R05.1 Acute cough

R05.2 Subacute cough

R05.3 Chronic cough Persistent cough Refractory cough Unexplained cough

R05.4 Cough syncope

Code first syncope and collapse (R55) R05.8 Other specified cough

R05.9 Cough, unspecified



ICD-10 2022 - Chapter 18

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

NEW CODES:

R35.81 Nocturnal polyuria

Excludes2: nocturnal enuresis (N39.44)

R35.89 Other polyuria

Polyuria NOS



ICD-10 2022 - Chapter 18

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

NEW CODES:

R45.88 Nonsuicidal self-harm

Nonsuicidal self-injury

Nonsuicidal self-mutilation

Self-inflicted injury without suicidal intent

Code also injury, if known



Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

NEW CODES:

R63.30 Feeding difficulties, unspecified R63.31 Pediatric feeding dysfunction, acute Pediatric feeding dysfunction, acute Code also, if applicable, associated conditions such as: aspiration pneumonia (J69.0) dysphagia (R13.1-) GERD (K21-) malnutrition (E40-E46) R63.32 Pediatric feeding disorder, chronic Pediatric feeding dysfunction, chronic Code also, if applicable, associated conditions such as: aspiration pneumonia (J69.0) dysphagia (R13.1-) GERD (K21.-) malnutrition (E40-E46)



ICD-10 2022 - Chapter 18

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

NEW CODES: (cont'd)

R63.39 Other feeding difficulties

Feeding problem (elderly) (infant)

NOS Picky eater



ICD-10 2022 - Chapter 19 Injury, poisoning and certain other consequences of external causes (S00-T88) **T40.71** Poisoning by, adverse effect of and underdosing of

cannabis (derivatives) **T40.711** Poisoning by cannabis, accidental (unintentional) **T40.712** Poisoning by cannabis, intentional self-harm **T40.713** Poisoning by cannabis, assault **T40.714** Poisoning by cannabis, undetermined **T40.715** Adverse effect of cannabis

T40.716 Underdosing of cannabis



Injury, poisoning and certain other consequences of external causes (S00-T88)

T40.72 Poisoning by, adverse effect of and underdosing of synthetic cannabinoids

T40.721 Poisoning by synthetic cannabinoids, accidental (unintentional)

T40.722 Poisoning by synthetic cannabinoids, intentional self-harm

T40.723 Poisoning by synthetic cannabinoids, assault

T40.724 Poisoning by synthetic cannabinoids, undetermined

T40.725 Adverse effect of synthetic cannabinoids

T40.726 Underdosing of synthetic cannabinoids



ICD-10 2022 - Chapter 20 External causes of morbidity (V00-Y99)

NEW CODE: **Y35.899** Legal intervention involving other specified means, unspecified person injured



ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (Z00-Z99)

New guidance:

Z23 Encounter for immunization

Code also, if applicable, encounter for immunization safety

counseling (**Z71.85**)

Z28 Immunization not carried out and underimmunization status

Code also, if applicable, encounter for immunization safety

counseling (**Z71.85**)



Factors influencing health status and contact with health services (Z00-Z99)

NEW CODES:

Z55 Problems related to education and literacy

 Z55.5 Less than a high school diploma No general equivalence degree (GED)
 Z58 Problems related to physical environment Excludes:2: occupational exposure (Z57.-)
 Z58.6 Inadequate drinking-water supply Lack of safe drinking water Excludes2: deprivation of water (T73.1)



ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (200-Z99) NEW CODES: Z59.00 Homelessness Z59.00 Homelessness unspecified Z59.01 Sheltered homelessness Doubled up Living in a shelter such as: motel, scattered site housing, temporary or transitional living situation Z59.02 Unsheltered homelessness Residing in place not meant for human habitation such as: abandoned buildings, cars, parks, sidewalk Residing on the street

ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (200-299) Changes: 259.4 Lack of adequate food and safe drinking water 259.4 Lack of adequate food Inadequate drinking water supply Excludes2: deprivation of food (T73.0) effects of hunger (T73.0) inappropriate diet or eating habits (Z72.4) malnutrition (E40-E46)

Factors influencing health status and contact with health services (Z00-Z99)

NEW CODES:

Z59.41 Food insecurity**Z59.48** Other specified lack of adequate food *Inadequate food*

Lack of food



ICD-10 2022 - Chapter 22 Codes for special purposes (U00-U85)

Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49) ALL NEW:

U09 Post COVID-19 condition U09.9 Post COVID-19 condition, unspecified

Note: This code enables establishment of a link with COVID-19. This code is not to be used in cases that are still presenting with active COVID-19. However, an exception is made in cases of re-infection with COVID-19, occurring with a condition related to prior COVID-19. Post-acute sequela of COVID-19



ICD-10 2022 - Chapter 22 Codes for special purposes (U00-U85) U09.9 Post COVID-19 condition, unspecified (cont'd) Code first the specific condition related to COVID-19 if known, such as: chronic respiratory failure (J96.1-) loss of smell (R43.8) loss of taste (R43.8) multisystem inflammatory syndrome (M35.81) pulmonary embolism (I26.-) pulmonary fibrosis (J84.10)

